

<b>Submittal Data Sheet SD115</b>	<b>EFFECTIVE 4/1/18</b>
---	-----------------------------



- **Stainless Steel**
- **115V – 60Hz**
- **30psi Pressure Booster**
- **Automatically activates when water is drawn at a fixture**

### SUBMITTAL DATA APPROVAL

For: \_\_\_\_\_

Job: \_\_\_\_\_

Date Submitted: \_\_\_\_\_ By: \_\_\_\_\_

Date Approved: \_\_\_\_\_ By: \_\_\_\_\_

Model Number: \_\_\_\_\_ Quantity: \_\_\_\_\_

Model Number: \_\_\_\_\_ Quantity: \_\_\_\_\_

Model Number: \_\_\_\_\_ Quantity: \_\_\_\_\_

Model Number: \_\_\_\_\_ Quantity: \_\_\_\_\_

US DESIGN • US BUILT

## Aqua-Max APB 30

### Materials of Construction


- Shaft .....Stainless Steel
- Impellers and Diffuser Chambers..... Stainless Steel
- Motor Bracket and Housing ..... Aluminum
- Mechanical Seal.....Carbon/Carbide
- Control .....Composite

The **AquaMotion APB 30** is designed to increase water pressure in a home by approximately 30 psi over the incoming water pressure to the home. The incoming pressure is either the pressure supplied by the municipality on the main to the home or the pressure developed by the homes water well system.

### Specifications

- Maximum Shut-off Head: 77 Feet
- Maximum Flow: 28 GPM
- Maximum Operating Pressure: 145 psi (10 bar)
- Maximum Water Temp: 130°F (54°C)
- Weight 27 lbs. (11.34 Kg)

AquaMotion APB - 30



### Dimensions

